



Archipello.



Designer elements for modern landscapes.

The second edition of the **Archipello. Specifier Catalogue** builds on a clear and consistent premise: that outdoor environments deserve the same level of architectural intent, material integrity, and technical consideration as the built form itself. Archipello. continues to bring together a curated range of premium planters, edging, and retaining wall systems, sourced from leading European manufacturers and selected specifically for design-led projects in New Zealand.

This edition expands the core Archipello. elements offering with the introduction of new models and finishes, while also unveiling Archipello. Bespoke, providing customised solutions tailored to specific landscape designs. The range is positioned not simply as a collection of products, but as a set of considered design elements that support cohesive, enduring landscape outcomes grounded in both aesthetics and performance.

With refined European-certified materials, engineered performance, and sculptural aesthetics, Archipello. delivers solutions that empower landscape architects, specifiers, and design-driven homeowners to shape modern environments with intention. From luxury residential gardens to high-end commercial developments, Archipello. transforms outdoor spaces into cohesive expressions of design excellence.



Curated from Europe. Specified for New Zealand.

Archipello. is available nationwide through Advance Landscape Systems, ensuring consistent access to product, technical guidance, and specification support across New Zealand. This national presence is strengthened through a network of consultants, able to provide localised expertise, assist with specification, and support projects from early design through to delivery.

Archipello. provides a suite of technical resources that underpin confident specification. CAD drawings, SketchUp files, product renders, and supporting documentation are available to integrate Archipello. seamlessly into design workflows, allowing professionals to specify with clarity and assurance.

Reach out to the Archipello. consultants to discuss project and bespoke design needs, request samples and technical resources, or to arrange an introductory presentation.

NZ Principal Archipello. Consultant

Greg Suckling: 021 309 263
greg@advancelandscape.co.nz

North Island Archipello. Consultant

Matthew Strachan: 021 854 665
matthew@advancelandscape.co.nz

South Island Archipello. Consultant

Robert Bruce: 021 228 3358
robert@advancelandscape.co.nz

Archipello. is the range of architectural landscape elements developed for design-led projects, bringing together specification-ready premium systems that support both design outcomes and technical performance. The standard range is available in refined finish options, including Corten and powder-coated steel, allowing for consistency across a wide range of applications. Extending beyond this, Archipello. Bespoke provides customised solutions tailored to specific project requirements, enabling greater flexibility in form, scale, and finish.





Index

BESPOKE	6
PLANTERS	9 - 22
EDGING	23 - 28
RETAINING WALLS	29 - 34
MATERIALS	35 - 37
TECHNICAL RESOURCES	38



ARCUS PLANTER CORTEN STEEL (WEATHERING STAGE 1)

Archipello. Bespoke

Offering custom-designed solutions, **Archipello. Bespoke** enables designers to realise more ambitious and site-specific outcomes while maintaining the same architectural quality, material integrity, and European craftsmanship that define the range. Enquire now to discuss your landscape design ideas with an Archipello. consultant.





VERDE PLANTER COATED ALUMINUM



ONYX PLANTER
ORA PLANTER CORTEN STEEL



Arcus

The rim around the base of the Arcus is reflected on the rim at the top. The small, recessed edge on the base of the Arcus planter creates the illusion that it's floating slightly above the ground.



ARCUS PLANTER CORTEN STEEL (WEATHERING STAGE 1)

Axis

The Axis Corten steel planter will add boldness and warmth to any garden, with strong linear profile features.



AXIS PLANTER CORTEN STEEL

Steel thickness 2 mm
Top edge 90 x 38 mm
Hidden feet 17 mm
Drainage holes Ø25 mm

	Ø mm	Height	KG
TPC3	800	600	42.42
TPC2	1000	800	65.76
TPC1	1200	600	74.29



10



CBN3

CBN4

CBN2

11

CBN1

Steel thickness 3 mm
Top edge 50 x 25 mm
Feet 150 mm x 173 mm
Drainage holes Ø25 mm

	Ø mm	Height	KG
CBN1	1000	600	72.36
CBN2	800	750	69.64
CBN3	600	1000	59.75
CBN4	500	1200	61.19

Boxer

The Boxer planter with its 16-sided shape is a show stopper. The play of light over its surface creates fascinating nuances of colour. This planter will look wonderful in almost every kind of green space.



BC3



BC1



Steel thickness 2 mm
Hidden feet 18 mm
Drainage holes Ø27 mm

BC1 Top edge 52 x 25 mm
BC2 Top edge 50 x 25 mm
BC3 Top edge 48 x 25 mm

	Ø mm	Height	KG
BC1	1200	1000	82.38
BC2	1000	800	56.17
BC3	800	600	34.93




CARREZ CONNECT PLANTER

Carrez Connect

This self-assembly planter without base belongs in gardens with clean lines. The sleek, double-turned edge gives it a sturdy appearance. The Carrez is also ideal for use as a divider in hospitality venues.

Please enquire for available options:

- Pre-assembled
- Coated steel
- Planter with base



CARREZ CONNECT SQUARE - WITHOUT BASE

	Length	Width	Height	KG
CAWC4.2	1200	1200	600	47.35
CAWC4.3	1200	1200	400	31.71
CAWC5.2	1000	1000	600	37.33
CAWC5.3	1000	1000	400	26.86
CAWC6.2	800	800	600	30.61
CAWC6.3	800	800	400	22.02
CAWC8	600	600	600	23.9

CARREZ CONNECT TROUGH - WITHOUT BASE


	Length	Width	Height	KG
CAWC22	2000	500	600	48.25
CAWC25	2000	400	400	33.55
CAWC25.2	1200	400	400	22.02
CAWC25.3	1000	400	400	19.6

Steel thickness 1.5 mm
Top edge 50 x 25 mm

- SELF-ASSEMBLY
- WITHOUT BASE

Circum Planter

The Circum planter is defined by its clean cylindrical form, bringing a sense of balance and simplicity to contemporary landscape designs. Its smooth, continuous profile allows it to integrate effortlessly into both structured and organic environments, whether used as a singular focal point or repeated to create rhythm across a space. Available with or without a base, Circum offers flexibility in application, from standalone planters to integrated landscape features.



	Ø mm	Height	KG
CT1.1	2000	800	133.4
CT2.1	1500	800	90.75
CT4.1	1200	800	68.09

Steel thickness 2 mm
Top edge 50 x 25 mm
Hidden feet 15 mm
Drainage holes Ø27 mm

Circum without Base

The Circum planter without base is ideal for use with mature trees, and can also create a raised garden bed. This versatile design makes the Circum one of our most popular models with designers and landowners alike.

Steel thickness 2 mm
Top edge 50 x 25 mm

	Ø mm	Height	KG
CTW1.1	2000	800	91.99
CTW2.1	1500	800	68.86
CTW4.1	1200	800	53.64
CTW1.2	2000	600	72.41
CTW1.3	2000	400	53
CTW2.3	1500	400	39.49



CIRCUM IN-LITE READY IEB.CT4

Circum In-Lite Ready Profile

Enjoy greenery during the day and dynamic lit atmosphere in the evening. Combine our Circum 4.1 planters with the In-Lite Ready Profile and smart lighting from In-Lite. With a single app, you can adjust the light to your liking – softer, more colourful, more atmospheric, allowing you to create the perfect atmosphere at any time.

Please note: This product only includes the profile (rim). Circum planter and LED lighting ordered separately.

Profile includes drill screws for easy installation. Prepared with a recess for the cable between the driver and LED strip. Installation manual available.

Lighting component may be sourced from a local In-Lite dealer, or any other supplier with compatible components.



IEB.CT4 EDGE ONLY - Fits CTW4.1 and CT4.1

IEB.CT4 Top edge 55 x 35 mm

	Ø mm	Height	KG
IEB.CT4	1200	89	10.42



CIRCUM PLANTER WITH BASE

Conic

This conical planter has a graceful look. Its large size makes the Conic an excellent choice for placement in parks and other public spaces.



CC5.2 WITH BASE



CONIC PLANTER

Steel thickness 2 mm
 Top edge 70 x 30 mm
 Hidden feet 15 mm
 Drainage holes Ø27 mm

	Ø mm	Height	KG
CC5.2	1000	600	38.76

Ellipse

The Ellipse planter with base has pleasing curves. The natural shape of this planter will add elegance to any garden or urban space.



CEL5



CEL4



ORA PLANTER CORTEN STEEL

Ora

This unique planter has a distinctive shape with a narrower base. This unusual form makes the Ora an exceptionally original and popular product.



CEL1

Steel thickness 3 mm
Top edge 50 x 25 mm
Hidden feet 15 mm
Drainage holes Ø27 mm

	Length	Width	Height	KG
CEL1	2800	1600	600	198.35
CEL3	2000	1200	600	128.93
CEL4	2000	1200	400	100.27
CEL5	1200	800	600	66.25
CEL6	1200	800	400	51.36



CXT3



CXT4



CXT2



CXT1

	Ø mm	Height	KG
CXT1	1200	600	85.02
CXT2	1000	750	77.48
CXT3	800	900	67.27
CXT4	700	1100	67.16

Steel thickness 3 mm
Top edge 50x23 mm
Hidden feet 15 mm
Drainage holes Ø25 mm



ELLIPSE PLANTER

Onyx

The Onyx planter is a welcome addition to our collection. This planter has a beautifully balanced organic form, giving it an absolutely unique appearance.



CNX1

Steel thickness 2 mm
Hidden feet 10 mm
Drainage holes Ø10.2 mm

	Ø mm	Height	KG
CNX1	980	540	38.95
CNX2	780	441	31.43



ONYX PLANTER
Corten steel in weathering process, Wānaka lifestyle landscape.

Rohin

The Rohin has a unique design. With its rounded corners and wide top edge, it is a beautiful planter for any garden. The minimalist design exudes tranquility and simplicity, making the Rohin a perfect fit for any outdoor space.



CRO2



CRO1

Steel thickness 2 mm
CRO1 Top edge 90 x 40 mm
CRO2 Top edge 100 x 50 mm
CRO4 Top edge 100 x 50 mm

	Length	Width	Height	KG
CRO1	700	700	1200	63.42
CRO2	1000	1000	600	60.99
CRO4	1200	1200	800	93

Tube

The Tube planter is very reminiscent of the classic Italian terracotta pot. Its rounded contours give it an elegant look. The Tube will enhance the ambience of modern outdoor spaces.

Please enquire for coated steel options.



CTC2

Steel thickness 2 mm
Hidden feet 18 mm
Drainage holes Ø25 mm

	Ø mm	Height	KG
CTC2	800	750	40.95



TUBE PLANTER IN COATED STEEL

Verde

Discover the Verde planter, inspired by Scandinavian design. With its flowing lines, minimalist shapes, and timeless appearance, this planter is the ideal choice to create a modern and serene atmosphere in your garden. Available in Corten steel.



CVE5



CVE1



CVE2



CVE6

Steel thickness 3 mm
Drainage holes Ø27 mm

	Ø mm	Height	KG
CVE6	1200	800	80.05
CVE5	1200	450	52.83
CVE2	700	800	43.29
CVE1	600	1000	44.09



FLATTENED TOP EDGING

Edging - Flattened Top Edge

Archipello garden edging makes it easy to create borders, gravel paths and lawn edges in any garden. This versatile product has many uses. Combine it with other elements made from the same material to create a cohesive garden look.

With 3 edging options available, Straight, Set and Flattened, the 2 mm thickness of the Straight and Flattened edging allows flexibility for using in curved designs. The Set Top Edging is rigid for straight designs.

The edging strips are provided with pre-drilled mounting holes, x4 timber edging pegs, and screws for joining sections together.



Steel thickness 2 mm

	Length	Thickness	Height	KG
CP2.100	2300	2	100	4.16
CP2.150	2300	2	150	6
CP2.200	2300	2	200	7.84



CP2.100BU
(Inside corner)



CP2.100BI
(Outside corner)

	Length	Width	Height	KG
CP2.100BU	300	300	100	1.1
CP2.150BU	300	300	150	1.58
CP2.200BU	300	300	200	2.06
CP2.100BI	300	300	100	1.1
CP2.150BI	300	300	150	1.58
CP2.200BI	300	300	200	2.06

Edging - Set Top Edge

The Set Top Edging is rigid for straight designs.

For flexible edging options to use in curved designs, choose Straight or Flattened Top.

The edging strips are provided with pre-drilled mounting holes, x4 timber edging pegs, and screws for joining sections together.



Steel thickness 2 mm

	Length	Thickness	Height	KG
CZ2.100	2300	2	100	4.7
CZ2.150	2300	2	150	6.55
CZ2.200	2300	2	200	8.39



CZ2.100BU
(Inside corner)



CZ2.100BI
(Outside corner)

	Length	Width	Height	KG
CZ2.100BU	300	300	100	1.21
CZ2.150BU	300	300	150	1.69
CZ2.200BU	300	300	200	2.17
CZ2.100BI	300	300	100	1.21
CZ2.150BI	300	300	150	1.69
CZ2.200BI	300	300	200	2.17


Edging - Straight Top Edge

The Straight Top edging allows flexibility for using in curved designs. For a rigid edging option in straight designs, use Set Top edging.

The edging strips are provided with pre-drilled mounting holes, x4 timber edging pegs, and screws for joining sections together.



STRAIGHT TOP EDGING
Landscape design by KPLC, Muriwai, Auckland NZ




Steel thickness 2 mm

	Length	Width	Height	KG
CR2.100	2300	2	100	3.8
CR2.150	2300	2	150	5.52
CR2.200	2300	2	200	7.36

	Length	Width	Height	KG
CR2.100BU	300	300	100	1
CR2.150BU	300	300	150	1.43
CR2.200BU	300	300	200	1.92



SET TOP EDGING



FLATTENED TOP EDGING



STRAIGHT TOP EDGING FLEXED TO CURVED DESIGN



STRAIGHT RETAINING WALL COATED STEEL



Retaining Wall - Straight 400

Archipellico modular retaining walls offer almost limitless possibilities for creating shape and form, and are the perfect solution for separating lawns, borders and paths. They can also be used as planters. Retaining walls create a strong structural impact in gardens and outdoor spaces.



CRS3.400.1000



CRSO3.400.500
(Outside corner)



CRS3.400.2000



CRSN3.400.500
(Inside corner)

Steel thickness 3 mm
Top edge 50 x 25 mm
Includes prefab system and stainless-steel fasteners

	Length	Width	Height	KG
CRS3.400.1000	1000	200	400	17.15
CRS3.400.2000	2000	200	400	33.21

Retaining Wall - Straight 600



CRS3.600.1000



CRSO3.600.500
(Outside corner)



CRS3.600.2000



CRSN3.600.500
(Inside corner)

Steel thickness 3 mm
Top edge 50 x 25 mm
Includes prefab system and stainless-steel fasteners

	Length	Width	Height	KG
CRS3.600.1000	1000	300	600	25.94
CRS3.600.2000	2000	300	600	49.56

	Length	Width	Height	KG
CRSO3.600.500	500	500	600	21.93
CRSN3.600.500	500	500	600	24.24



Retaining Wall - Outside Curve 400

Corten steel modular retaining walls are very robust, hard-wearing, weatherproof, low-maintenance and durable.



CRCO3.400.500



CRCO3.400.1000

Steel thickness 3 mm
 Top edge 50 x 25 mm
 Includes prefab system and stainless-steel fasteners

	Length	Width	Height	KG
CRCO3.400.500	500	500	400	1183
CRCO3.400.1000	1000	1000	400	2312

Retaining Wall - Outside Curve 600



CRCO3.600.500



CRCO3.600.1000

	Length	Width	Height	KG
CRCO3.600.500	500	500	600	17.91
CRCO3.600.1000	1000	1000	600	34.66



Materials and Standards.

Architectural Quality, Curated for the New Zealand Landscape.

Archipello., where every piece in the range is born from a simple belief: outdoor environments deserve the same level of design integrity, craftsmanship, and material excellence as any interior space. To achieve this, we looked well beyond conventional supply chains and partnered exclusively with Europe's most respected manufacturers, producers renowned for their precision engineering, disciplined design thinking, and long-standing legacy of quality.

Our commitment in sourcing from reputable suppliers is intentional, to support our belief that outdoor products must not only look exceptional but endure, retaining their structural integrity and aesthetic precision for years to come. This ensures that specifiers, landscape architects, and design-conscious homeowners can create spaces of enduring beauty, without the risk of warping, premature corrosion, or aesthetic inconsistency often found in cheaper or improvised solutions.

Archipello. exists for those who refuse to compromise, for those who understand that the quality of each element shapes the quality of the entire landscape. Every planter, edging profile, and retaining wall system in the Archipello. collection reflects this philosophy: considered, crafted, and curated for projects where design excellence truly matters.

Supplied ready for production without special treatments, Archipello. Corten steel delivers both high strength and long-term durability, ensuring consistent performance across all projects. Archipello. elements are covered by a 10-year warranty. The Corten steel used in Archipello. products carries European certification EN10204-3.1 and CE / Declaration of Performance.

Archipello. elements are covered by a 10-Year Warranty.

In the New Zealand market, Archipello. is recognised as the premium alternative: the brand for those who value architectural quality, longevity, and sophisticated European design. This distinction places Archipello. firmly at the top end of the category, leading the shift toward higher-specification, aesthetically cohesive outdoor environments.

Corten Steel

Corten steel gives gardens a powerful and warm appearance, characterised by its orange-brown colour. The name “Corten steel” is derived from Corrosive Tensile steel, indicating corrosion-resistant steel with high tensile strength. Corrosive refers to its ability to react with elements in the environment such as oxygen and moisture. Tensile strength is a mechanical property determining how the material can withstand load. Corten steel has high tensile strength, making it suitable for our products as well as for infrastructure constructions like bridges.

Another common name for Corten steel is weathering steel: weather conditions actually enhance its properties. Corten steel is a metal alloy primarily made of iron, to which copper, phosphorus, silicon, nickel and chromium are added. When exposed to the elements, the material develops a protective rust layer through corrosion. This natural rust layer acts as a shield against further corrosion, ensuring our products have an exceptionally long lifespan.

Made to European Standards


For all Archipello Corten steel elements, we use the same type of steel: S355JOWP+AR (EN10025-5).

S355JOWP+AR is a type of Corten steel specially designed to be more resistant to rust caused by weather conditions. This steel is often used for structures such as bridges and buildings because of its high strength and ease of processing. It is supplied without any special treatments, which means it can be used directly in production.

This Corten steel complies with the European standard EN10025-5, which precisely describes the requirements the steel must meet. Some of these requirements are that the steel contains elements such as copper, phosphorus, silicon, and chromium, which help in forming a protective rust layer when exposed to the outdoor environment. This natural rust layer protects the steel from further corrosion.

Caring for Your Corten Steel Elements

The Archipello Corten Steel Care Guide is available from our online resources. We highly recommend following this guide to ensure maximum longevity of your Corten steel elements.



Corten Steel

1. Appearance upon delivery.
2. Appearance after 6 months.

Products are delivered without rust. The Corten steel weathering process takes about 4-5 months, depending on weather conditions.

The rust can be fixed by applying an approved rust sealant that forms a protective coating to avoid run-off. This protects the planter and stops the rust on Corten steel flaking off.

Coated Steel


The coated steel in Archipello elements is Sendzimir galvanized. The zinc layer makes the steel corrosion-resistant and ensures a long lifespan. This high-quality material is thermally galvanized and provided with a durable coating. The entire process ensures excellent protection against rust and weather influences. Coated steel gives your garden a sleek, industrial look.

During the production of coated steel, the steel is first thermally galvanized. Then it is roughened for optimal adhesion of the coating. The powder coating consists of two layers: a strongly adhesive primer followed by a wear-resistant top layer. The top layer is Dulux-certified powder coating, which enhances durability and protects against corrosion, ensuring long-lasting performance for aluminium and steel components.

Our powder coatings meet the high-quality Dulux certification that guarantees excellent performance and durability. This standard provides protection against scratches and corrosion, ensuring that products with this coating last longer and maintain their quality.

Archipello coated steel elements are available in a wide range of Dulux colours matched to the RAL colour system, allowing you to choose the perfect style.

The standard range below includes the most popular Dulux colours. Please note actual colour may vary from printed indication - please request coated samples from an Archipello consultant.



Satin Black




Gravel



Matt Dark Grey



Grey Wacke



Pure White



Titania



Bone White



Lichen

Technical Resources

The Archipello. elements range provides inspirational and technical resources for use by architects, designers and specifiers.

Resources include:

- CAD drawings
- Product renders
- Sketchup files (.SKP)
- Specifier Catalogues
- Archipello. Lookbooks

Technical resources and CE / Declaration of Performance are available on request.

Archipello. is available exclusively through Advance Landscape Systems

To enquire, please contact:

e. archipello@advancelandscape.co.nz

p. 0800 600 789

w. advancelandscape.co.nz

Auckland Showroom: 13 Matukutūruru Road, Wiri, Auckland 2104

Christchurch Headquarters and Showroom: 491 Waterloo Road, Christchurch 8042

DISCLAIMER The information provided in this publication is correct to the best knowledge of the company and is given out in good faith. The information presented here is intended only as a general guide to the use of such products and no liability is accepted by Archipello. | Advance Landscape Systems Ltd for any loss or damage however arising, which results either directly or indirectly from the use of such information.



Archipello.

Designer Elements for Modern Landscapes

Digital Flagship Site

archipello.co.nz

