

Archipello.®

In-Lite Ready Profile Installation Guide.



Archipello. Circum planter and In-Lite Ready Profile are available through Advance Landscape Systems. The lighting components are available through in-lux.co.nz

Overview:

The Archipello. In-Lite Ready Profile is delivered as a self-assembly product with the LED lighting to be sourced separately. You will need to attach the profile to the planter yourself. All drill screws required for assembly are included with the profile.



Materials and equipment required:

- Archipello. In-Lite Ready Profile
- Several 25mm adjustment blocks
- Screws (provided)
- Drill/driver

Note:

The In-Lite LED lighting strip for use with the In-Lite Ready Profile needs to be purchased separately through in-lux.co.nz

1. Installing the In-Lite Ready Profile

Preparation

- Place the planter level on a sturdy surface.
- Ensure you have several 25mm adjustment blocks to position the In-Lite Profile on the planter without causing damage.

Installing the profile

- Position the 25mm adjustment blocks evenly on the edge of the planter.
- Position the In-Lite Ready Profile level on the adjustment blocks.
- Screw the supplied drill screws into the pre-drilled holes. These holes are located on the inside of the In-Lite Ready Profile.
- Once all drill screws are tightened, you can remove the adjustment blocks from underneath the edge.

Note:

Do not use any screws or bolts other than the ones provided for securing the In-Lite Ready Profile, as this could cause damage.



Note:




Lighting components are available through in-lux.co.nz

For warranty related enquiries for the lighting components, please contact In-Lux.


2. Installing the EVO FLEX LED Strip

Installation Notes


- Read through the manual for the transformer and cable before installing this fixture.
- This product may only be used within the In-Lite system. If components are used in the system that do not originate from In-Lite, the warranty no longer applies.
- Install the In-Lite system components (fixtures, transformers, mini-connectors, Easy-Locks and cable connectors) so that they can easily be replaced.
- Never use the in-lite low-voltage cable in combination with 100-240V. This is only suitable for use with the components of the In-Lite 12 volt low-voltage system.

(Smart) EVO FLEX (Tone) - Circum


Positioning - Circum










1X EVO FLEX










2X EVO FLEX




3X EVO FLEX







13



14




15




16


Transformer "ON"




17









18



19



App Installation - Only for Smart EVO FLEX (Tone)



Archipello. Elements are available exclusively through Advance Landscape Systems.

0800 600 789

archipello@advancelandscape.co.nz

www.advancelandscape.co.nz/archipello